



Home Porch & Patio Kits INC

Request for Quotation

Hard Top Screen Enclosures

Important: Throughout the spring and summer seasons our we do quote submissions on a first come first serve basis and work hard to do them right the first time. We believe in honoring our commitment to each customer that requests a quotation, therefore we can not consider demands for immediate quotations. We will generally be able turn quotations in about 24-36 hours. During peak season we will require up to 3 days to do a quotation.

Basic Information

Name:

City of Installation:

State:

Contact Tel #

(We do not call unless your email address is entered incorrectly)

Email Address:

(We have never sold or exchanged your email addresses or other information with any other company!)

Load Requirement Information

Your city building department is where building permits are issued from. You may or may not need an actual permit for your installation, and this is left as the sole responsibility of the homeowner. **It is our strong recommendation that you acquire your permit prior to purchase.** However, panel thickness, beam placements, beam size, distance between posts out front... all are a function of the load (**snow & wind**) that your cover will be subject to. Even though you may not require a permit, you will still need to contact them to get your local building code requirements so that we can supply you with the 'correct' materials!

Snow Load (lbs./sq.ft.):


Wind Load (mph):

Will you be getting a permit?

YES

NO

Our Terminology (Use this information to fill out the next



1. Screen Wall Height 2. Roof Projection 3. Roof Width 4. Roof Overhang 5. Wall Width
6. Wall Projection 7. Kickplate (18" or 24") 8. Optional Screen Door 9. Choice of Screening



request@homeporchandpatiokits.com



1.705.259.2264

Screen Wall Dimensions & Details

Tell us about the desired footprint of your Screen Walls

Projection: ft. in.

Total distance away from house wall


*I need only one projection wall Left ☐ Right ☐

Width: ft. in.

Total distance parallel to house wall

Height at House: ft. in.

From the deck/patio to the underside of where your new roof is to be mounted.



Are your screen walls to be installed inside existing handrails? YES ☐ NO ☐

Do You Want a Kickplate? 18" Kickplate ☐ 24" Kickplate ☐ No Kickplate ☐

*If the 'no kickplate' option is chosen, you will receive a 2" x 2" horizontal chair rail; to be installed at any height desired.

Frame Color?

White ☐ Clay ☐ Black ☐
Bronze ☐ Ivory ☐

Extrusion Colors



Doors

Do you want to supply your own door(s)? YES ☐ NO ☐

(Either way please be sure to indicate door placement(s) in the drawing on page 4)

Screening

Standard Fiberglass Screening ☐ 60% Solar Screening ☐ Pet Screening ☐

No See Um Screening ☐ I want to supply my own screening ☐

Other screening ...

https://www.homeporchandpatiokits.com/screening_selection.htm



request@homeporchandpatiokits.com



1.705.259.2264



Connection Details

Are you mounting your roof panels on the house wall or fascia board?

Attached to fascia board

*If attached to your fascia board, what is the distance from wall to fascia board


ft.

in.

OR

Attached to House Wall
or Ledger Board

*The customer is responsible for the purchase of the hardware (screws / lag bolts) necessary to secure the C channel to the existing surface.



Roof Dimensions & Details

***Note:** Your wall attachment C channel allows for a pitch of 1/4" per foot of projection.

Your roof needs to be at least 6" larger, on all three sides, than the screen wall footprint.

Projection:

ft.

in.

This is the total distance away from the wall or fascia board, including the overhang past the front screen wall.

Width:

ft.

in.

This is the total distance parallel to house wall. Your roof panels are made up of 4' wide and 2' wide panels. All panels can/will be trimmed on site!

Height at House:

ft.

in.

From the deck/patio to the underside of where your new roof is to be mounted.

Desired Front Overhang:

ft.

in.

Amount of awning past the front beam & post assembly. The maximum overhang is 3' or 25% of awning span - whichever is less.

Option:

You can have a 2" x 3" T5 Alloy fan beam installed in one (or more) roof panels to hang a ceiling fan or run lighting wires.

**Fan Beam
Installation**

YES

NO

☐

How Many?



request@homeporchandpatiokits.com



1.705.259.2264

Roof Panel Color Selection

White Sand Wheat Eggshell

Side Fascia / Front Gutter Color Selection

White Clay Bronze Black

6" thick roof comes with white aluminum drip edge fascia only

Beam Color Selection

White Ivory Bronze Black

Post Color Selection

White Ivory Bronze Black

Roof Panel Colors



Extrusion Colors



Not all sizes of beams, posts and roof profiles are available in black

House Wall Bumpouts

Distance **A** ft. in.


Distance **B** ft. in.

Distance **C** ft. in.

Distance **D** ft. in.

Distance **E** ft. in.


***** If you have a chimney to work your roof installation around please provide the following dimensions...



Door Placements

Check the box that indicates whether your measurement is away from the house wall or measured from a corner.

Then enter the distance away from the wall or corner you want your door placement to begin.



ft. / in. ft. / in.
ft. / in. ft. / in.





Notes... Anything else you want us to know about your project?

Do Your Own Drawing

You have two ways in which you can use it.

- If you **open the PDF** in Acrobat Reader, it will allow you to fill out the PDF directly using your mouse and keyboard. You can fill it out, left click, click on "save as" (name the document) and [save the document to your desktop](#). Then email us with the saved PDF document as an attachment.
- Alternatively you can **open the PDF**, print the PDF and fill it out manually. If you wanted to do your own drawing you will need to do this anyways. You can then scan your pages or take a picture of each page and then email us the attachment (s).

**Save this PDF to your
desktop and then send it**

... by email: quote@homeporchandpatiokits.com

... by fax: 1.705.259.2264